


ELEVATORS QTY		1
TYPE	TRACTION GEARLESS 2:1 / HRC	
RAIL LOAD / WEIGHT CAR	2,400 LBS / 1,100 LBS	
CONVERTER/PHI	2,400 LBS / 1,100 LBS	
PERSON/S	6.53 FT/2	
VOLTAG	220 / 1 / 60	
SPEED	50 FT/MIN.	
OPERATION	AUTOMATIC	
SELF LEVELING	AUTOMATIC	
LEVELING TYPE	TAPE READER	
LIMITS SWITCH	OMRON	
LANDING/OPENING	OMRON	
HOISTWAY DOOR	AUTOMATIC	
CAR RAILS	8 LBS/FT - 11.9 KG/M	
CNT RAILS	UNISTRUT 1" X 1 5/8"	
TYPE OF GUIDE	ROLLERS	
CAB STEADER	FIXE	
CONTROLLER TYPE	GI-TEKTRONIC SRX 500	
CNT SAFETY TYPE	MICROPROCESSOR	
CNT SAFETY TYPE	SARGT01	
CNT GOVERNOR	N/A	
TYPE	FRB RSR TYPE WITH CONTACT	
TAPERING SPEED	91/4	
CNT TAPERING	41/2 FT/MIN. - 0.24 M/S	
CABLE	N/A	
TAPERING SPEED	N/A	
CAR SHEAVE DIAMETER	412"	
CNT SHEAVE DIAMETER	412"	
CABLES	3 CABLES 3/8" CLASS 8 X 19	
BRAKING STRENGTH	13,570 LBS - 6,169 KG	
SECURITY FACTOR	14.8	

MACHINE DATA	
MACHINE	GT101-14-30
MACHINE CAPACITY	6,600 LBS
MACHINE SPEED (RPM)	20.4
MOTOR DATA (V/PH/KW)	220 / 3 / 60
MOTOR STARTING	18 AMP
MOTOR FULL LOAD	12 AMP
MOTOR HP	3/4 HP
DRIVE SHEAVE	411 1/4"
EMERGENCY BRAKE	ON MACHINE
ROPE PITCH	0.625"
TRANSFORMER BU/H	N/A
CONTROL SPACE TOTAL BU/H	BU/H
HOISTWAY TOTAL BU/H	BU/H

NOTES: - ALL DIMENSIONS BETWEEN BRACKETS
 [] ARE IN MILLIMETERS
 - THIS INSTALLATION IS DRAWN IN ACCORDANCE WITH THE CAN-CSA-B44-00 CODES SECTION 5.2.

PROJECT NAME:		GT SOFTRIDE LULA WITH SAFETY SAFGT01	
PROJECT NAME:			
ADDRESS:			
DESIGNER:			
DATE:			
SCALE:			
SHEET:			



ELEVATION VIEW

TYPICAL CONTROL ROOM PLAN LOCATED AT THE LAST FLOOR

RAIL BRACKET DETAIL

PLAN OF HATCH

TECHNICAL DATA

MACHINE DATA

PROJECT NAME:		GT SOFTRIDE LULA WITH SAFETY SAFGT01	
PROJECT NAME:			
ADDRESS:			
DESIGNER:			
DATE:			
SCALE:			
SHEET:			

